KRIDL AGE

KRIDL AGE

NT BOOK

ensions		Contents	Reference to last Measurement
Breadth 5	Depth 6	7	8
-	0.60	72.0	
-	0.60	= 31.20	
-	0.60	= 62.40	
-	0.60	= 57.60	
-	0.60	= 62.40	
-	0.60	= 57.60	
-	0.60	= 33.60	
Total =		1675.20 Sqm	

Fully N.D
AE(W)
26/04/18

M. A. R. 57 (Rule 116)
Measurement Book

No. B

427757

Serial No. Main-bill:-

Name of Work Improvements to drains From of 1st to 3rd cross roads of Jakkur layout in ward no.07, byadarayanapura :

Name of Contractor of nature of Agency M/s. KRIDL

Date of commencement of work

Date 1	Full description, etc, of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	Est cost:-	Rs. 50.0 lakhs.					
	Job number:-	007-18-000003					
	A.S. No:-	AS|EE(BTP)|131|17-18; dt: 22-12-17					
	T.S. No:-	TS|CE(YNK)|513|17-18; dt: 12-01-18					
	Agr. No:-	No. EE|BTP|Agr| |17-18; dt:					
	Work order no:-	No. BBMP|EE|BTP|WO|90|17-18; dt: 02-03-18					
	Date of recording:-	15|06|18					

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Item No.01:-						
	Earthwork excavation by manual means in ordinary soil involving an average horizontal throw upto 2m and an average lift upto 1.5m, excavated surface levelled and sides neatly dressed, the disposed earth to be levelled neatly after breaking clods complete as per specifications.						
	Qty vide page no. 4278/427749 →					495.14 cum	
	At the rate of Rs. 86.92 →						43037.55
	Item No.09:-						
	loading and unloading charges.,						
	Qty vide page no. 4278/427749 →					495.14 cum	
	At the rate of Rs. 106.00 →						52484.80

KRIPL
AEE

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	N
1	2	
	Item No.02:-	
	Providing and la	
	mix 1:4:8 using 40mm and	
	concrete laid in layers	
	-tion and plinth, including	
	curing complete as per sp	
	Qty vide page no	
	At the rate of Rs.	

KRIPL AGE

KRIPL AGE

EMENT BOOK

Dimensions			Contents	Reference to last Measurement
Length 4	Breadth 5	Depth 6	7	8
y manual means in ordinary soil				
l throw upto 2m and an average				
face levelled and sides neatly				
to be levelled neatly after breating				
ations.				
427749 →			495.14 cum	43037.55
→				
g charges;				
78/427749 →			495.14 cum	52484.80
5.00 →				

M. A. R. 57 (Rule 116)
Measurement Book

No. B

427758

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	Item No. 02:-						
	Providing and laying in position plain cement concrete of nominal mix 1:4:8 using 40mm and down size graded granite metal machine mixed. concrete laid in layers not exceeding 15cms, thick well compacted in foundation and plinth, including cost of all materials, labour, HOM of machinery, curing complete as per specification.						
	Qty vide page no. 4278/427752 →					99.47	
	At the rate of Rs. 5159.02 →						513167.70

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Item. No. 04:-						
	Providing TMT steel reinforcement for RCC work including straightening, cutting, bending, hooking, placing in position, lapping and or welding wherever required.,						
	Qty vide page no. 4278/427755 →					11.23 tonne	
	At the rate of Rs. 64243.42 →						721453.60
	Item. No. 05:-						
	Providing and removing centering, shuttering, strutting, propping etc., for columns, pillars, piers, abutments, post and struts, square/rectangular slabs/sidewalls polygon in plan including cost of materials, labour, HOM of machinery complete as per specification.						

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Nu
1	2	
	Qty vide page no.	
	At the rate of Rs. 38	
	Item. No. 03:-	
	Providing and laying	
	M20 with OPC cement @ 320k	
	coarse aggregates @ 878	
	superplastizers @ 3 lts conf	
	mixed, concrete laid in la	
	2 'A' cross - Ayyappa temp	

Dimensions			Contents	Reference to last Measurement
Length 4	Breadth 5	Depth 6	7	8
forcement for RCC work including g, hooking, placing in position, er required.,				
3/427755 →		11.23 tonne		721453.60
.42 →				
centering, shuttering, struting, rs, piers, abutments, part and s/sidewalls polygon in plan labour, HOM of machinery				

M. A. R. 57 (Rule 116)
Measurement Book

No. B

427759

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	Qty vide page no. 4278		427756 →		1675.20 sqm		649910.60
	At the rate of Rs. 387.96 →						
	Item No. 03:-						
	Providing and laying in position reinforced cement concrete of design mix M20 with OPC cement @ 320kgs with 20mm and down size graded granite metal coarse aggregates @ 0.878 cum and fine aggregates @ 0.459 cum with superplastizers @ 3 lts confirming to IS 9103-1999 re-affirmed- 2008 machine mixed, concrete laid in layers not exceeding 15cms thick.,						
	2 'A' cross - Ayyappa temple road to Woolly - bits:-						

KRIPL
AEE

MEASUREMENT BOOK

Date	Full description, etc, of work		Dimensions: Number	Length	Breadth	Depth	Contents	Reference to last Measurement
1	2		3	4	5	6	7	8
		0-30	01	30.0	0.75	0.15	= 3.38	
		30-60	01	30.0	0.75	0.15	= 3.38	
		60-71	01	11.0	0.75	0.15	= 1.24	
							7.99 cum	
	Sidewall:		1x2=2	30.0	0.15	0.60	= 5.40	
			1x2=2	30.0	0.15	0.60	= 5.40	
			1x2=2	11.0	0.15	0.60	= 1.98	
							12.78 cum	
	From W0114 to doubleroad - LHS:-							
	Bottom:	0-30	01	30.0	0.75	0.15	= 3.38	
		30-60	01	30.0	0.75	0.15	= 3.38	
		60-76	01	16.0	0.75	0.15	= 1.80	
							8.55 cum	
	Sidewall:		1x2=2	30.0	0.15	0.60	= 5.40	
			1x2=2	30.0	0.15	0.60	= 5.40	

40.12

Serial No. .....
Name of Work ..... Fr
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work		Numbe
1	2		3
			1x2=
	2nd 'A' cross - Thyagappa te		
	Bottom:-	0-30	01
		30-60	01
		60-71	01
	Sidewall:-	0-30	1x2=2
		30-60	1x2=2
		60-71	1x2=2

KRIPL AGE

KRIPL AGE

MENT BOOK

Dimensions			Contents	Reference to last Measurement
Length 4	Breadth 5	Depth 6	7	8
30·0	0·75	0·15	= 3·38	
30·0	0·75	0·15	= 3·38	
11·0	0·75	0·15	= 1·24	
			7·99 cum	
30·0	0·15	0·60	= 5·40	
30·0	0·15	0·60	= 5·40	
11·0	0·15	0·60	= 1·98	
			12·78 cum	
30·0	0·75	0·15	= 3·38	
30·0	0·75	0·15	= 3·38	
16·0	0·75	0·15	= 1·80	
			8·55 cum	
30·0	0·15	0·60	= 5·40	
30·0	0·15	0·60	= 5·40	

40·12

M. A. R. 57 (Rule 116)
Measurement Book

No. B

427760

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 40·12 7	Reference to last Measurement 8
		1×2=2	16·0	0·15	0·60	= 2·88	
						13·68 cum	
	2nd 'A' cross. Hygappa temple road to 100 114 - Rhs:-						
	Bottom:- 0-30	01	30·0	0·75	0·15	= 3·38	
	30-60	01	30·0	0·75	0·15	= 3·38	
	60-71	01	11·0	0·75	0·15	= 1·24	
						7·99 cum	
	Sidewalk:- 0-30	1×2=2	30·0	0·15	0·60	= 5·40	
	30-60	1×2=2	30·0	0·15	0·60	= 5·40	
	60-71	1×2=2	11·0	0·15	0·60	= 1·98	
						12·78 cum	

63·77.

KRIPL AEE

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth	63.77	
1	2	3	4	5	6	7	8
	From W0114 to double road - RHS :-						
	Bottom: 0-30	01	30.0	0.75	0.15	= 3.38	
	30-60	01	30.0	0.75	0.15	= 3.38	
	60-76	01	16.0	0.75	0.15	= 1.80	
						8.55 cum	
	Sidewall:	1x2=2	30.0	0.15	0.60	= 5.40	
		1x2=2	30.0	0.15	0.60	= 5.40	
		1x2=2	26.0	0.15	0.66	= 2.88	
						13.68 cum	
	3rd A' cross. H.No 138 - W0114 - LHS :-						
	Bottom:- 0-30	01	30.0	0.75	0.15	= 3.38	
	30-60	01	30.0	0.75	0.15	= 3.38	
	60-72	01	12.0	0.75	0.15	= 1.35	
						8.10 cum	

94.10

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work
1	2
	Sidewall:-
	W0114 - double road - LHS
	0-30
	30-60
	60-73
	Sidewall:-

KRIPL AGE

KRIPL AGE

ENT BOOK

Dimensions			Contents	Reference to last Measurement
th	Breadth 5	Depth 6	63.77 7	8
0	0.75	0.15 = 3.38		
0	0.75	0.15 = 3.38		
0	0.75	0.15 = 1.80		
			8.55 cum	
0	0.15	0.60 = 5.40		
.0	0.15	0.60 = 5.40		
.0	0.15	0.66 = 2.88		
			13.68 cum	
0	0.75	0.15 = 3.38		
0	0.75	0.15 = 3.38		
0	0.75	0.15 = 1.35		
			8.10 cum	

94.10

M. A. R. 57 (Rule 116)
Measurement Book

No. B 427761

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 94.10 7	Reference to last Measurement 8
	Sidewall:-	1x2=2	30.0	0.15	0.60 = 5.40		
		1x2=2	30.0	0.15	0.60 = 5.40		
		1x2=2	12.0	0.15	0.60 = 2.16		
						12.96 cum	
	W011H- double road - LHS:-						
	0-30	01	30.0	0.75	0.15 = 3.38		
	30-60	01	30.0	0.75	0.15 = 3.38		
	60-73	01	13.0	0.75	0.15 = 1.46		
						8.21 cum	
	Sidewall:-	1x2=2	30.0	0.15	0.60 = 5.40		
		1x2=2	30.0	0.15	0.60 = 5.40		
		1x2=2	13.0	0.15	0.60 = 2.34		
						13.14 cum	

128.41

KRIPL
AEE

MEASUREMENT BOOK

Date	Full description, etc, of work		Dimensions				Contents	Reference to last Measurement
			Number	Length	Breadth	Depth	128.41	
1	2		3	4	5	6	7	8
	3rd A' cross. H NO 138- WO 114 - RHS:-							
	Bottom:	0-30	01	30.0	0.75	0.15	= 3.38	
		30-60	01	30.0	0.75	0.15	= 3.38	
		60-72	01	12.0	0.75	0.15	= 1.35	
							8.10 cum	
	Sidewall:		1x2=2	30.0	0.15	0.60	= 5.40	
			1x2=2	30.0	0.15	0.60	= 5.40	
			1x2=2	12.0	0.15	0.60	= 2.16	
							12.96 cum	
	WO114 - double road - RHS:-							
	Bottom:	0-30	01	30.0	0.75	0.15	= 3.38	
		30-60	01	30.0	0.75	0.15	= 3.38	
		60-73	01	13.0	0.75	0.15	= 1.46	
							8.21 cum	

157.68.

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work
1	2
	Sidewall:-
	WO114 - From GEOTEP - CUL
	Bottom:- 0-26
	33-57
	Sidewall:-

KRIPL AGE

KRIPL AGE

ENT BOOK

Dimensions			Contents	Reference to last Measurement
th	Breadth 5	Depth 6	128.41 7	8
0	0.75	0.15	= 3.38	
0	0.75	0.15	= 3.38	
0	0.75	0.15	= 1.35	
			8.10 cum	
0	0.15	0.60	= 5.40	
0	0.15	0.60	= 5.40	
0	0.15	0.60	= 2.16	
			12.96 cum	
0	0.75	0.15	= 3.38	
0	0.75	0.15	= 3.38	
0	0.75	0.15	= 1.46	
			8.21 cum	

157.68.

M. A. R. 57 (Rule 116)
Measurement Book

No. B 427762

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions				Contents 157.68 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	Sidewall:-	1x2=2	30.0	0.15	0.60	= 5.40	
		1x2=2	30.0	0.15	0.60	= 5.40	
		1x2=2	13.0	0.15	0.60	= 2.34	
						13.14 cum	
	W.W. (1x2=2)						
	W.W.14 - From GEOTEP - Culvert - RHS:-						
	Bottom:- 0-26	01	26.0	0.75	0.15	= 2.93	
	33-57	01	24.0	0.75	0.15	= 2.70	
	Sidewall:-	1x2=2	26.0	0.15	0.60	= 4.68	
		1x2=2	24.0	0.15	0.60	= 4.32	
						14.63 cum	

185.45

KRIPL AEE

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth	185.45	
1	2	3	4	5	6	7	8
	from RE07EP - culvert. LHS:-						
	Bottom: 0-26	01	26.0	0.75	0.15	= 2.93	
	33-57	01	24.0	0.75	0.15	= 2.70	
	Sidewall:	1x2=2	26.0	0.15	0.60	= 4.68	
		1x2=2	24.0	0.15	0.60	= 4.32	
						14.63 cum	
	4th 'A' cross - LHS: R.W. (370)						
	0-14	01	14.0	0.75	0.15	= 1.58	
		1x2=2	14.0	0.15	0.60	= 2.52	
						4.10 cum	
			Total=		204.17 cum		
	At the rate of Rs. 6371.66 →						1300902.00

204.18.

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	N
1	2	
	Item No.07:- Providing and fixing reinforced cement concrete including centering, shut concrete laid in layers all materials labour	
	Ce-covering slab:-	
	2 A' cross - Ayyappa temp	
	from KOLLA to double road	

KRIPL AGE

KRIPL AGE

ENT BOOK

Dimensions			Contents	Reference to last Measurement
h	Breadth 5	Depth 6	185.45 7	8
	0.75	0.15 = 2.93		
	0.75	0.15 = 2.70		
	0.15	0.60 = 4.68		
	0.15	0.60 = 4.32		
			14.65 cum	
	0.75	0.15 = 1.58		
	0.15	0.60 = 2.52		
			4.10 cum	
Total =		204.17 cum		1300902.00

204.18.

M. A. R. 57 (Rule 116)
Measurement Book

No. B

427763

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	Item.No.07:- Providing and fixing 10cms thick pre-cast RCC covering slab using reinforced cement concrete M20 mix with stone aggregate 20mm & downing including centering, shuttering reinforcement and bar bending machine mixed concrete laid in layers not exceeding 15cm thick well compacted cost of all materials labour curing complete.,						
	Ce-covering slab:-						
	2 A'cross - Ayyappa temple road to wall14- Lts:-	118	0.75	0.60	-	= 53.1	
	from wall14 to double road - Lts:-						

53.10

KRIPL ABE

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth	53.10	
1	2	3	4	5	6	7	8
		127	0.75	0.60	-	= 57.15	
	2 A' cross - Ayyappa temple road to W0114 - RHS:-						
		118	0.75	0.60	-	= 53.10	
	W0114 to double road - RHS:-						
		127	0.75	0.60	-	= 57.15	
	3 A' cross - HN0138 - W0114 - LHS:-						
		120	0.75	0.60	-	= 54.0	
	W0114 - double road - LHS:-	121	0.75	0.60	-	= 54.45	
	3rd A cross - HN138 - W0114 - RHS:-						
		120	0.75	0.60	-	= 54.0	
	W0114 - double road RHS:-	121	0.75	0.60	-	= 54.45	
	W0114 - LHS	83	0.75	0.60	-	= 37.35	
	W0114 - RHS	83	0.75	0.60	-	= 37.35	

512.10

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work
1	2
	4th A cross - LHS:
	At the rate of
	Item No. 08:- Providing and
	for shoulder drain
	2nd A cross:-
	3rd A cross:-
	W0114

KRIPL AGE

KRIPL AGE

ENT BOOK

imensions h	Breadth 5	Depth 6	Contents 53.10 7	Reference to last Measureme 8
5	0.60	-	= 57.15	
0114 - RHS:-				
5	0.60	-	= 53.10	
	0.60	-	= 57.15	
5	0.60	-	= 54.0	
5	0.60	-	= 54.45	
5	0.60	-	= 54.0	
5	0.60	-	= 54.45	
5	0.60	-	= 37.35	
5	0.60	-	= 37.35	

512.10

M. A. R. 57 (Rule 116)
Measurement Book

No. B 427764

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 512.10 7	Reference to last Measurement 8
	4th A cross - LHS:	23	0.75	0.60	- =	10.35	
						522.45 Sqm	
	At the rate of Rs. 2100.00 →						1097145.00
	Item No. 08:- Providing and fixing MS grating 260x260 mm.						
	for shoulder drain opening:-						
	2nd A cross:-	10	-	-	- =	10	
	3rd A cross:-	09	-	-	- =	09	
	W0114	05	-	-	- =	05	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	4th A' cross	02	-	-	-	= 02	
	Total:-					25nos	
	At the rate of Rs. 94.34 →						2358.50
	Item No.07:- Providing and laying in position plain cement concrete of mix 1:2:4 with cement @ 240kgs, with 20mm and ↓ size graded granite metal coarse aggregates @ 0.69 cum and fine aggregates @0.459 cum, machine mixed concrete laid in layers not exceeding 15cms, thick well compacted, in foundation, plinth and cills including cost of all materials.						
	Ramps for drains:-						
	2nd A cross	02	67.0	0.30	0.12	= 4.82	
	3rd A cross	02	70.0	0.30	0.12	= 5.04	
	W0114	02	65.0	0.30	0.12	= 4.68	
						14.54	

M.

Serial No. .....
Name of Work ..... F
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Numb
1	2	3
		02
		02
		02
	4th A' cross	01
	Qty ltd to	20.0
	At the rate of	R

CE/E

Assistant Executive Engineer.
Kodigehalli Sub Division,
Yelahanka Zone, B.B.M.P..
Bangalore.

KRIDL AGE

KRIDL AGE

ENT BOOK

Dimensions			Contents	Reference to last Measurement
gth	Breadth 5	Depth 6	7	8
	-	-	= 02	
			25nos	
				2358.50
osition plain cement concrete of				
, with 20mm and ↓ size graded				
es @ 0.69 cum and fine aggregates				
ete laid in layers not exceeding				
ndation, plinth and cills including				
7.0	0.30	0.12	= 4.82	
0.0	0.30	0.12	= 5.04	
5.0	0.30	0.12	= 4.68	
			14.54	

M. A. R. 57 (Rule 116)
Measurement Book

No. B 427765

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
		02	65	0.30	0.12	= 4.68	
		02	15	0.30	0.12	= 1.08	
		02	15	0.30	0.12	= 1.08	
	4th 'D' cross	01	10	0.30	0.12	= 0.36	
					Total=	21.00 cum	
						21.74	
	Qty ltd to	20.94 cum					
	At the rate of Rs.		5767.46 →				120770.60
					Total =		4501230.26
			10%	KRIDL charges =			450123.03
			1%	labour cess =			45012.30
			Grand total =				4996365.59

CE/SE
Asst 15/6/18

Assistant Executive Engineer,
Kodigehalli Sub Division,
Yelahanka Zone, B.B.M.P.,
Bangalore.

Abstly. N.D
DE(W) 15/06/18

MEASUREMENT BOOK

Royalty charges

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
			coarse. Agr	fine. Agr.			
Sl. No.	Details		co-eff qty	co-eff	qty.		
02.	40mm → 99.47 cum		0.96 95.49	0.48	47.74		
03.	M_{20} → 204.17 cum		0.85 173.54	0.416	84.93		
07.	20mm → 20.94 cum		0.90 18.85	0.45	9.42		
08.	~~Retstab → 577.45 sqm~~						
	(~~painting~~) Total ⇒		287.88		142.09		
	Abstract:						
	1). coarse aggregate: 287.88 × 108 = 31091.00						
	2). Fine- aggregate: 142.09 × 103 = 14635.25						
					45726.25		

KRIPL AEE

M. A. R
Meas

Serial No. .....
Name of Work ..... From...
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Number
1	2	3
		WO1114 ←
		(Jakkur layout)
	Asstly. N.D AE(WT)	JAKKUR

KRIDL AGE

KRIDL AGE

ENT BOOK

Dimensions			Contents	Reference to last Measurement
th	Breadth	Depth		
Nos	fine. Agr. co-eff	Agr. qty.	7	8
.49	0.48	47.74		
.54	0.416	84.93		
.85	0.45	9.42		
37.88		142.09		
=		3109.00		
=		14635.25		
		45726.25		

M. A. R. 57 (Rule 116)
Measurement Book

No. B 427766

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work ..... Jakkur doubleroad

Date	Full description, etc, of work	Dimensions: Number	Length	Breadth	Depth	Contents	Reference to last Measurement
1	2	3	4	5	6	7	8



Assistant Executive Engineer,
Kodigehalli Sub Division,
Yelahanka Zone, B.B.M.P..

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Certificate:-						
	1) Certified that the contractor has completed the work satisfactorily.						
	2) Certified that the debris has been removed from the work spot.						
	3) Certified that the works has not been repeated under any other grants.						
	Assistant Executive Engineer. Kodigehalli Sub Division, Yelahanka Zone, B.B.M.P., Bangalore.						
	Assistant Executive Engineer Byatarayanapura Sub-Division KRIDL, BBMP, Bangalore						

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency
Date of commencement of work .....

Date	Full description, etc, of work
1	2

KRIDL AGE

KRIDL AGE

ENT BOOK

Dimensions			Contents	Reference to last Measurement
h	Breadth 5	Depth 6	7	8
ompleted	the work satisfactorily.			
emoved	from the work spot.			
epeated	under any other			

Asstant Executive Engineer.
odigehalli Sub Division,
Mahanka Zone, B.B.M.P.,
Bangalore.

M. A. R. 57 (Rule 116)
Measurement Book

427767

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	ಬಿಲ್ಲು ಮೊಬಲಗು ರೂ. 49,96,365-00 ಗಳಿಸಿದ ಮೊತ್ತ ಮಾತ್ರ : ಇಪ್ಪತ್ತೈದು ರೂ. 4515 11-00 ಕೊಂಡಾಗ ಮಾಡಿಕೊಂಡು ಉಳಿದ ಮೊಬಲಗು ರೂ. 4544854-00 M: Forty five Lakh forty four thousand eight hundred fifty four only. ಬೇಕಾದ ಮುಕಾಂತರ ನೀಡಲಾಗಿದೆ ಅಧಿಕೃತ ಪ್ರತಿನಿಧಿಗಳು for Executive Engineer 17/07					Total 49,96,365-00 IT- 99927-00 Cess- 49964-00 CBF- 4996-00 LR- 45726-00 Fine- 1080-00 FSD- 249818-00 Adjn- 451511-00 Closing- 4544854-	